

| ENGLISH |

GIANT TRANSPORTER VERSA G-2 PANNIER BAG



USER MANUAL

GIANT

CONTENT


Tools Required: 3 mm Allen keys.

- 1 Transporter Versa (rear view)
- 1(A) G-2 bracket latch
- 2 Shoulder straps x 2
- 3 Accessories
- 3(A) Washers x 2
- 3(B) M4 bolts x 2
- 3(C) G-2 Connector studs x 2




4 Transporter Versa (front view)

- 4 A Taillight mounting loop
- 4 B Shoulder strap mounting loop
- 4 C Reflective strip
- 4 D Front zipper pocket



5 Transporter Versa (rear view)

- 5 A Bag handle
- 5 B Shoulder strap buckles
- 5 C G-2 bracket latch cover
- 5 D Shoulder straps storage compartment
- 5 E Rear rack fixing strap & buckle
- 5 F Soft pad



G-2 CONNECTOR STUD INSTALLATION


1. (Fig A) Remove plastic plugs (A-1) from side rail of G2 compatible rack.

*Keep removed plugs (A-1) for future use.

2. (Fig B) Attach and install G-2 connector studs (C-1), bolts and washers to the side rail (C-2) with 3mm Allen key.

NOTE

Compatible racks: Any rack with G-2 connector mounts such as the Giant Rack It Metro Rear Rack.



PANNIER BAG ATTACHMENT AND DETACHMENT

ATTACHMENT (FIG D)

Align stud recesses (D -1) of bracket latch with studs(D -2) of side rail(D -3) and gently push the pannier to let the bracket latch engage until you hear a click.
Fasten the rear rack fixing strap and buckle if needed (D -4)



DETACHMENT (FIG E)

Press the two levers (E-1) on the bracket latch and lift the pannier up with the handle strap at the same time.

NOTE





If you find it difficult to attach/release pannier, please adjust the G-2 side pole adapter.

*Bag max. load: 10 kg



ATTACH SHOULDER STRAPS TO PANNIER

1. (Fig F) Pull zipper to close the G-2 bracket latch cover.
2. (Fig G) Remove the shoulder straps from the storage pocket
3. (Fig H) Check the direction mark (H-1) on the upper shoulder strap and buckle it to the corresponding side of the pannier.
4. (Fig I) Lock the snap hooks of the shoulder straps to the loops of bag.



⚠WARNING

- Not compatible with seatpost-mounted carriers and some types of city bike carriers.
- If your heel brushes pannier when pedaling, reposition the side frame of the G-2 kit.
- Always ensure pannier is secure on the rack and no straps or other items are protruding before riding.
- Pannier to rack fully loaded, and shake bike and rack left and right. If any part of pannier touches the wheel, consult a bicycle shop for advice.
- Do not use for off-road riding.
- For better stability, pack the heaviest items at the bottom of pannier. It is better to use a pair of pannier bags with evenly distributed weight on both sides for better balance and control