

FASTROAD AR ADVANCED 2

GIANT



SPECS

FRAME	
SIZES	XS, S, M, M/L, L, XL
COLORS	Tiger Red
FRAME	Advanced-grade composite, 12x142mm thru-axle, disc
FORK	Advanced-grade composite, composite OverDrive steerer, 12x100mm thru-axle, disc
SHOCK	N/A
COMPONENTS	
HANDLEBAR	Giant Sport Flat, 31.8 XS:64cm, S:64cm, M:68cm, M/L: 68cm, L:68cm, XL:68cm
GRIPS	Giant ErgoContact
STEM	Giant Contact, 8-degree XS:70mm, S:80mm, M:90mm, M/L: 90mm, L:100mm, XL:110mm
SEATPOST	Giant D-Fuse, alloy, 350mm
SADDLE	Giant ErgoContact
DRIVETRAIN	
SHIFTERS	Shimano CUES U6000, 10-speed
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	Shimano CUES
BRAKES	Tektro HD-R280, Giant MPH rotors [F]160mm, [R]160mm
BRAKE LEVERS	Tektro HD-R280
CASSETTE	Shimano CS-LG40010, 11x48
CHAIN	Shimano CN-LG500
CRANKSET	FSA Omega AGX+, 42t XS:170mm, S:170mm, M:170mm, M/L:172.5mm, L:172.5mm, XL: 175mm
BOTTOM BRACKET	FSA, press fit

WHEELS	
RIMS	Giant S-X2 Disc wheelset
HUBS	Giant alloy, 12mm thru-axle
SPOKES	Sapim
TIRES	Maxxis Re-Fuse, tubeless, 700x40c
EXTRAS	tubeless prepared, 42mm max tire size
LIMITS	
MAX TIRE CLEARANCE	42mm

Recommended Retail Price: \$2,000.00

GEOMETRY

FRAME	S	M	ML	L	XL
Seat Tube Length (inch)	17.9	18.7	19.5	20.7	21.9
Seat Tube Angle	73.5°	73.5°	73.0°	73.0°	73.0°
Top Tube Length (inch)	22	22.6	23.2	24	24.8
Head Tube Length (inch)	5.1	6.1	6.9	7.9	8.9
Head Tube Angle	70.5°	71.0°	71.0°	71.5°	71.5°
Fork Rake (inch)	2	2	2	2	2
Trail (inch)	2.9	2.8	2.8	2.6	2.6
Wheelbase (inch)	41.2	41.7	42.1	42.7	43.5
Chain Stay Length (inch)	17.1	17.1	17.1	17.1	17.1
Bottom Bracket Drop (inch)	3	3	3	3	3
Stack (inch)	21.7	22.8	23.5	24.5	25.4
Reach (inch)	15.6	15.9	16	16.5	17
Stand Over Height (inch)	29	29.8	30.4	31.5	32.5
Handlebar Width (inch)	25.2	26.8	26.8	26.8	26.8
Stem Length (inch)	3.1	3.5	3.5	3.9	4.3
Crank Length (inch)	6.7	6.7	6.8	6.8	6.8
Wheel Size	700C	700C	700C	700C	700C

**All specifications and prices listed are subject to change without notice. Actual weight may vary due to manufacturing tolerances, color variations, frame size and variability in production components.*